

# COSHH Assessment



Product Name	<b>Advion Ant Gel</b>	Date of Assessment	<b>9th April 2026</b>
--------------	-----------------------	--------------------	-----------------------

Brief Description of the Product or Task	professional use insecticidal gel for indoor and outdoor use against ants
--	---

Who is at risk from exposure to this product?	EPM Staff <input checked="" type="checkbox"/> Client Personnel <input checked="" type="checkbox"/> Public <input checked="" type="checkbox"/> Others <input checked="" type="checkbox"/>
---	--


Means of Exposure	Inhalation <input checked="" type="checkbox"/> Skin Contact <input checked="" type="checkbox"/> Eye Contact <input checked="" type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Injection <input type="checkbox"/>
-------------------	--


Types of Workplace or locations the substance will be used	Customer Premises <input checked="" type="checkbox"/> Internal Areas <input checked="" type="checkbox"/> External Areas <input checked="" type="checkbox"/> Baiting Stations <input checked="" type="checkbox"/> In Building Voids <input checked="" type="checkbox"/> Cavities <input checked="" type="checkbox"/> Confined Spaces <input type="checkbox"/>
--	---


Frequency of Use	Limited use only where active insect issues are a problem.
------------------	--


## Hazard Identification


Product Name	Composition	Concentration	Colour
<b>Advion Ant Gel</b>	<b>w/w Indoxacarb,</b>	<b>0.050%</b>	<b>Off White</b>


Is this substance Highly Inflammable?	
	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Comments:


Is this substance Corrosive?	
	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Comments:


Is this substance an Irritant or Harmful?	
	Yes <input type="checkbox"/> No <input type="checkbox"/> Comments:

Is this substance Explosive?	
	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Comments:

Is this substance Toxic?	
	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Comments:

Is this substance an Oxidiser?	
	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Comments:

Is this substance harmful to the Environment?	
	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Comments: May cause an allergic Skin Reaction

Is this substance Carcinogenic?	
	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Comments:

# COSHH Assessment



Product Name	<b><u>Advion Ant Gel</u></b>	Date of Assessment	<b>9th April 2026</b>
--------------	------------------------------	--------------------	-----------------------

First Aid requirements should any persons fall from exposure to this product.	<p><b>Inhalation:</b> Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately</p> <p><b>Skin contact:</b> ake off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.</p> <p><b>Eye contact:</b> inse immediately with plenty of water, also under the eyelids, for at least 15 minutes.Remove contact lenses. Immediate medical attention is required.</p> <p><b>Ingestion:</b> If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.</p>
Fire Fighting Measures	Use a water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Spillages and response to Spillages	<p>1. Keep people away from and upwind of spill/leak. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.</p> <p>2. Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).</p>
Handling and Storage Measures	<p><b>Precautions for safe handling:</b> No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke.</p> <p><b>Conditions for safe storage -</b> No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.</p>
Exposure Controls (Engineering Measures))	Technicians/operatives should not be over exposed to this product as it is seldom used and mostly through summer months. If this product is to be used continously a further COSHH assessment should be formulated for the individual. Meanwhile, PPE, Gloves, Eye / Face protection, Protective clothing should be worn at all times.
Exposure Controls (Procedural Controls)	No special protective equipment is required, however, all technicians/operatives should wear

# COSHH Assessment



Product Name **Advion Ant Gel** Date of Assessment **9th April 2026**

Does This product require Eye Protection?

Yes  No

Comments:  
**Safety Goggles: EN-166F**

Does This product require Hand Protection?

Yes  No

Comments:  
**Gloves: EN 388-50-511  
EN 374-3**

Does This product require Respiratory Protection?

Yes  No

Comments:  
**Respiratory protection must be worn when mixing and applying this product.**

Does This product require Protective Clothing?

Yes  No

Comments:  
**Coveralls: Category 3 type 4.**

Does This product require Foot Protection?

Yes  No

Comments:  
**Boots: EN-345-1:1993**

Does This product require Head Protection?

Yes  No

Comments:  
**Not Required**

Does This product require Hearing Protection?

Yes  No

Comments:  
**Not Required**

Does This product require Fall Arrest/Harness Protection?

Yes  No


Comments:  
**Not Required**

Existing Safety Measures and Controls Using the correct PPE  
Adopting all aspects of this COSHH Assessment  
All staff to be briefed on the information extracted from the Material Safety Data Sheets

Additional Control Measures Ongoing Training and Supervision

## Management Agreement

All risk levels have been reduced as low as is reasonably practicable (ALARP), and the activity has been approved.

Assessors Name:	Mick Kilburn	Assessors Signature 
Assessors Title	Managing Director	
Assesment Date	9th April 2026	

Reviewed	Date	Notes
Reviewed	Date	Notes
Reviewed	Date	Notes